



X-Cell Closures are dense strips of polyethylene foam designed to seal and eliminate the gap between the roof deck and the panel. These closures provide a secure seal with profiles that match common roof panels. X-Cell Closures are an easy item to overlook when planning the structure and components of your building. However, using them can save you time and money while protecting your building from common threats. The adhesive used to apply the closures to your roof line even performs well in subfreezing temperatures.

Noise Reduction W UV Protection

>>> Moisture Resistance

Extra Layer of Insulation

>>> Keeps Out Unwanted Pests

>>> Improves Durability

Minimum Maintenance

Easy Installation



800-360-6467

MWICOMPONENTS.COM

SPENCER, IOWA

| TEST | DATA |
|---|-----------------------------|
| BASE POLYMER | CROSS - LINKED POLYETHYLENE |
| COLOR | BLACK |
| DENSITY (LB/FT ³) | 2.0 |
| COMPRESSION RESISTANCE - 25% (PSI) | 6.5 |
| COMPRESSION SET (@50%) | 10% |
| TENSILE (PSI) | 54 |
| ELONGATION (%) | 100 |
| TEAR RESISTANCE (LBF/IN) | 16.0 |
| THERMAL STABILITY (% CHANGE) | <0.5 |
| THERMAL CONDUCTIVITY (BTU-IN/HR/FT 2/ °F) | 0.29 |
| WATER ABSORPTION (LBS/FT 2) | <0.05 |
| FLAMMABILITY | UL 94 HF-1 FMVSS 302 |
| TEMPERATURE RANGE | -65 °F to +210 °F |



PROFILES



3/4 Rib Classic Outer

Part Number: 68CLOG

3/4 Rib Classic Inner

Part Number: 68CLIG


3/4 Rib Classic Inner

Glue on Top Part Number: 68CLIGT

3/4 Rib Classic Inner

No Glue

Part Number: 68CLIN




Appex Panel Outer

Part Number: 68AXOG

Appex Panel Inner

Part Number: 68AXIG




R-Panel Outer

Part Number: 68RPOG

R-Panel Inner

Part Number: 68RPIG




38.125

UPON REQUEST ONLY PROFILES

Image 2 Flat - No Glue

Part Number: 68IMFN



CD2000 Inner

Part Number: 68CDIG